

Hochleistungs-Heizpatrone, geschliffen,
metrische Abmessungen

High-duty Cartridge Heater, Ground,
Metric Dimensions


L2 = 300 mm

ohne Thermofühler / without thermocouple

S5101/ . . .

nach DIN VDE 0721
Sonderanfertigungen siehe Seiten S5.14 bis S5.26

acc. to DIN VDE 0721
For custom made sizes ref. to pages S5.14 up to S5.26



d	L	P [Watt]	L2	Best. Nr. / Order No.
6,5	40	100	300	S5101/ 6,5x 40x 100x 300
		125		S5101/ 6,5x 40x 125x 300
		160		S5101/ 6,5x 40x 160x 300
		175		S5101/ 6,5x 40x 175x 300
		200		S5101/ 6,5x 40x 200x 300
6,5	50	100	300	S5101/ 6,5x 50x 100x 300
		125		S5101/ 6,5x 50x 125x 300
		160		S5101/ 6,5x 50x 160x 300
		200		S5101/ 6,5x 50x 200x 300
		250		S5101/ 6,5x 50x 250x 300
6,5	60	125	300	S5101/ 6,5x 60x 125x 300
		160		S5101/ 6,5x 60x 160x 300
		200		S5101/ 6,5x 60x 200x 300
		250		S5101/ 6,5x 60x 250x 300
		315		S5101/ 6,5x 60x 315x 300
6,5	80	125	300	S5101/ 6,5x 80x 125x 300
		160		S5101/ 6,5x 80x 160x 300
		180		S5101/ 6,5x 80x 180x 300
		200		S5101/ 6,5x 80x 200x 300
		250		S5101/ 6,5x 80x 250x 300
		280		S5101/ 6,5x 80x 280x 300
		315		S5101/ 6,5x 80x 315x 300
		350		S5101/ 6,5x 80x 350x 300
6,5	100	100	300	S5101/ 6,5x 100x 100x 300
		160		S5101/ 6,5x 100x 160x 300
		200		S5101/ 6,5x 100x 200x 300
		250		S5101/ 6,5x 100x 250x 300
		315		S5101/ 6,5x 100x 315x 300
		350		S5101/ 6,5x 100x 350x 300
6,5	130	220	300	S5101/ 6,5x 130x 220x 300
		350		S5101/ 6,5x 130x 350x 300
6,5	160	350	300	S5101/ 6,5x 160x 350x 300
		400		S5101/ 6,5x 160x 400x 300
8	40	100	300	S5101/ 8x 40x 100x 300
		160		S5101/ 8x 40x 160x 300
		200		S5101/ 8x 40x 200x 300
		250		S5101/ 8x 40x 250x 300
8	50	125	300	S5101/ 8x 50x 125x 300
		160		S5101/ 8x 50x 160x 300
		200		S5101/ 8x 50x 200x 300
		250		S5101/ 8x 50x 250x 300
8	60	100	300	S5101/ 8x 60x 100x 300
		125		S5101/ 8x 60x 125x 300
		140		S5101/ 8x 60x 140x 300
		160		S5101/ 8x 60x 160x 300
8	80	100	300	S5101/ 8x 80x 100x 300
		125		S5101/ 8x 80x 125x 300
		140		S5101/ 8x 80x 140x 300
		160		S5101/ 8x 80x 160x 300
		200		S5101/ 8x 80x 200x 300
		250		S5101/ 8x 80x 250x 300

d	L	P [Watt]	L2	Best. Nr. / Order No.
8	80	250	300	S5101/ 8x 80x 250x 300
		315		S5101/ 8x 80x 315x 300
		400		S5101/ 8x 80x 400x 300
		500		S5101/ 8x 80x 500x 300
8	100	200	300	S5101/ 8x 100x 200x 300
		250		S5101/ 8x 100x 250x 300
		280		S5101/ 8x 100x 280x 300
		315		S5101/ 8x 100x 315x 300
8	130	250	300	S5101/ 8x 130x 250x 300
		315		S5101/ 8x 130x 315x 300
		400		S5101/ 8x 130x 400x 300
		8		160
10	40	100	S5101/ 10x 40x 100x 300	
10	40	125	300	S5101/ 10x 40x 125x 300
		200		S5101/ 10x 40x 200x 300
		250		S5101/ 10x 40x 250x 300
		315		S5101/ 10x 40x 315x 300
		400		S5101/ 10x 40x 400x 300
10	50	100	300	S5101/ 10x 50x 100x 300
		160		S5101/ 10x 50x 160x 300
		200		S5101/ 10x 50x 200x 300
		250		S5101/ 10x 50x 250x 300
		315		S5101/ 10x 50x 315x 300
10	60	125	300	S5101/ 10x 60x 125x 300
		160		S5101/ 10x 60x 160x 300
		200		S5101/ 10x 60x 200x 300
		250		S5101/ 10x 60x 250x 300
		315		S5101/ 10x 60x 315x 300
		400		S5101/ 10x 60x 400x 300
10	80	160	300	S5101/ 10x 80x 160x 300
		200		S5101/ 10x 80x 200x 300
		250		S5101/ 10x 80x 250x 300
		315		S5101/ 10x 80x 315x 300
		400		S5101/ 10x 80x 400x 300
10	100	160	300	S5101/ 10x 100x 160x 300
		200		S5101/ 10x 100x 200x 300
		250		S5101/ 10x 100x 250x 300
		315		S5101/ 10x 100x 315x 300
		400		S5101/ 10x 100x 400x 300
		500		S5101/ 10x 100x 500x 300
10	130	315	300	S5101/ 10x 130x 315x 300
		400		S5101/ 10x 130x 400x 300
		500		S5101/ 10x 130x 500x 300
		630		S5101/ 10x 130x 630x 300
		800		S5101/ 10x 130x 800x 300
10	160	400	300	S5101/ 10x 160x 400x 300

Hochleistungs-Heizpatrone, geschliffen,
metrische Abmessungen


High-duty Cartridge Heater, Ground,
Metric Dimensions

S5101/ . . .

nach DIN VDE 0721
Sonderanfertigungen siehe Seiten S5.14 bis S5.26

L2 = 300 mm
ohne Thermofühler / without thermocouple

acc. to DIN VDE 0721
For custom made sizes ref. to pages S5.14 up to S5.26



d	L	P [Watt]	L2	Best. Nr. / Order No.
10	160	630	300	S5101/ 10x 160x 630x 300
10	200	400	300	S5101/ 10x 200x 400x 300
		630		S5101/ 10x 200x 630x 300
10	250	630	300	S5101/ 10x 250x 630x 300
		800		S5101/ 10x 250x 800x 300
		1000		S5101/ 10x 250x 1000x 300
12,5	40	100	300	S5101/12,5x 40x 100x 300
		160		S5101/12,5x 40x 160x 300
		200		S5101/12,5x 40x 200x 300
		250		S5101/12,5x 40x 250x 300
		315		S5101/12,5x 40x 315x 300
		400		S5101/12,5x 40x 400x 300
12,5	50	100	300	S5101/12,5x 50x 100x 300
		125		S5101/12,5x 50x 125x 300
		160		S5101/12,5x 50x 160x 300
		200		S5101/12,5x 50x 200x 300
		250		S5101/12,5x 50x 250x 300
		315		S5101/12,5x 50x 315x 300
		400		S5101/12,5x 50x 400x 300
		500		S5101/12,5x 50x 500x 300
12,5	60	125	300	S5101/12,5x 60x 125x 300
		160		S5101/12,5x 60x 160x 300
		200		S5101/12,5x 60x 200x 300
		250		S5101/12,5x 60x 250x 300
		315		S5101/12,5x 60x 315x 300
		400		S5101/12,5x 60x 400x 300
		500		S5101/12,5x 60x 500x 300
12,5	80	200	300	S5101/12,5x 80x 200x 300
		250		S5101/12,5x 80x 250x 300
		315		S5101/12,5x 80x 315x 300
		400		S5101/12,5x 80x 400x 300
		500		S5101/12,5x 80x 500x 300
		630		S5101/12,5x 80x 630x 300
		800		S5101/12,5x 80x 800x 300
12,5	100	250	300	S5101/12,5x 100x 250x 300
		315		S5101/12,5x 100x 315x 300
		400		S5101/12,5x 100x 400x 300
		500		S5101/12,5x 100x 500x 300
		630		S5101/12,5x 100x 630x 300
		800		S5101/12,5x 100x 800x 300
		1000		S5101/12,5x 100x 1000x 300
12,5	130	400	300	S5101/12,5x 130x 400x 300
		500		S5101/12,5x 130x 500x 300
		630		S5101/12,5x 130x 630x 300
		800		S5101/12,5x 130x 800x 300
		1000		S5101/12,5x 130x 1000x 300
12,5	160	500	300	S5101/12,5x 160x 500x 300
		630		S5101/12,5x 160x 630x 300
		800		S5101/12,5x 160x 800x 300
		1000		S5101/12,5x 160x 1000x 300
		1250		S5101/12,5x 160x 1250x 300
12,5	180	800	300	S5101/12,5x 180x 800x 300
		1000		S5101/12,5x 180x 1000x 300

d	L	P [Watt]	L2	Best. Nr. / Order No.
12,5	200	630	300	S5101/12,5x 200x 630x 300
		800		S5101/12,5x 200x 800x 300
12,5	250	800	300	S5101/12,5x 250x 800x 300
		900		S5101/12,5x 250x 900x 300
		1500		S5101/12,5x 250x 1500x 300
12,5	300	600	300	S5101/12,5x 300x 600x 300
		1500		S5101/12,5x 300x 1500x 300
		2000		S5101/12,5x 300x 2000x 300
16	40	100	300	S5101/ 16x 40x 100x 300
		160		S5101/ 16x 40x 160x 300
		200		S5101/ 16x 40x 200x 300
		250		S5101/ 16x 40x 250x 300
		315		S5101/ 16x 40x 315x 300
		400		S5101/ 16x 40x 400x 300
		500		S5101/ 16x 40x 500x 300
16	50	160	300	S5101/ 16x 50x 160x 300
		200		S5101/ 16x 50x 200x 300
		250		S5101/ 16x 50x 250x 300
		315		S5101/ 16x 50x 315x 300
		315		S5101/ 16x 50x 315x 300
		400		S5101/ 16x 50x 400x 300
		500		S5101/ 16x 50x 500x 300
		630		S5101/ 16x 50x 630x 300
16	60	160	300	S5101/ 16x 60x 160x 300
		200		S5101/ 16x 60x 200x 300
		250		S5101/ 16x 60x 250x 300
		315		S5101/ 16x 60x 315x 300
		400		S5101/ 16x 60x 400x 300
		500		S5101/ 16x 60x 500x 300
		630		S5101/ 16x 60x 630x 300
16	80	250	300	S5101/ 16x 80x 250x 300
		315		S5101/ 16x 80x 315x 300
		400		S5101/ 16x 80x 400x 300
		500		S5101/ 16x 80x 500x 300
		630		S5101/ 16x 80x 630x 300
		800		S5101/ 16x 80x 800x 300
		1000		S5101/ 16x 80x 1000x 300
16	100	315	300	S5101/ 16x 100x 315x 300
		400		S5101/ 16x 100x 400x 300
		500		S5101/ 16x 100x 500x 300
		630		S5101/ 16x 100x 630x 300
		800		S5101/ 16x 100x 800x 300
		1000		S5101/ 16x 100x 1000x 300
		1250		S5101/ 16x 100x 1250x 300
16	130	500	300	S5101/ 16x 130x 500x 300
		630		S5101/ 16x 130x 630x 300
		800		S5101/ 16x 130x 800x 300
		1000		S5101/ 16x 130x 1000x 300
		1400		S5101/ 16x 130x 1400x 300
16	160	630	300	S5101/ 16x 160x 630x 300
		800		S5101/ 16x 160x 800x 300
		1000		S5101/ 16x 160x 1000x 300
		1250		S5101/ 16x 160x 1250x 300
		1600		S5101/ 16x 160x 1600x 300

Hochleistungs-Heizpatrone, geschliffen,
metrische Abmessungen

High-duty Cartridge Heater, Ground,
Metric Dimensions


L2 = 300 mm

ohne Thermofühler / without thermocouple

S5101/ . . .

nach DIN VDE 0721
Sonderanfertigungen siehe Seiten S5.14 bis S5.26

acc. to DIN VDE 0721
For custom made sizes ref. to pages S5.14 up to S5.26



d	L	P [Watt]	L2	Best. Nr. / Order No.
16	180	1000	300	S5101/ 16x 180x 1000x 300
		1250		S5101/ 16x 180x 1250x 300
		1800		S5101/ 16x 180x 1800x 300
16	200	800	300	S5101/ 16x 200x 800x 300
		1000		S5101/ 16x 200x 1000x 300
		1250		S5101/ 16x 200x 1250x 300
		1600		S5101/ 16x 200x 1600x 300
		2000		S5101/ 16x 200x 2000x 300
16	250	1000	300	S5101/ 16x 250x 1000x 300
		1250		S5101/ 16x 250x 1250x 300
		1600		S5101/ 16x 250x 1600x 300
		2000		S5101/ 16x 250x 2000x 300
16	300	1250	300	S5101/ 16x 300x 1250x 300
		1800		S5101/ 16x 300x 1800x 300
20	50	200	300	S5101/ 20x 50x 200x 300
		250		S5101/ 20x 50x 250x 300
		315		S5101/ 20x 50x 315x 300
		400		S5101/ 20x 50x 400x 300
20	60	200	300	S5101/ 20x 60x 200x 300
		315		S5101/ 20x 60x 315x 300
		500		S5101/ 20x 60x 500x 300
		630		S5101/ 20x 60x 630x 300
		800		S5101/ 20x 60x 800x 300
20	80	400	300	S5101/ 20x 80x 400x 300
		500		S5101/ 20x 80x 500x 300
		630		S5101/ 20x 80x 630x 300
		800		S5101/ 20x 80x 800x 300
		1000		S5101/ 20x 80x 1000x 300
		1250		S5101/ 20x 80x 1250x 300
20	100	400	300	S5101/ 20x 100x 400x 300
		630		S5101/ 20x 100x 630x 300
		800		S5101/ 20x 100x 800x 300
		1000		S5101/ 20x 100x 1000x 300
		1250		S5101/ 20x 100x 1250x 300
		1600		S5101/ 20x 100x 1600x 300
20	130	630	300	S5101/ 20x 130x 630x 300
		800		S5101/ 20x 130x 800x 300
		1000		S5101/ 20x 130x 1000x 300
		1250		S5101/ 20x 130x 1250x 300
		1600		S5101/ 20x 130x 1600x 300
		2000		S5101/ 20x 130x 2000x 300
20	160	1000	300	S5101/ 20x 160x 1000x 300
		1250		S5101/ 20x 160x 1250x 300
		1600		S5101/ 20x 160x 1600x 300
		2000		S5101/ 20x 160x 2000x 300
		2500		S5101/ 20x 160x 2500x 300
20	200	1250	300	S5101/ 20x 200x 1250x 300
		1600		S5101/ 20x 200x 1600x 300
		2000		S5101/ 20x 200x 2000x 300
		2500		S5101/ 20x 200x 2500x 300
		3150		S5101/ 20x 200x 3150x 300
20	250	1600	300	S5101/ 20x 250x 1600x 300
		2000		S5101/ 20x 250x 2000x 300

d	L	P [Watt]	L2	Best. Nr. / Order No.
20	250	2500	300	S5101/ 20x 250x 2500x 300
		3150		S5101/ 20x 250x 3150x 300
20	300	2000	300	S5101/ 20x 300x 2000x 300
		2500		S5101/ 20x 300x 2500x 300
		3150		S5101/ 20x 300x 3150x 300
		4000		S5101/ 20x 300x 4000x 300

Hochleistungs-Heizpatrone, geschliffen,
metrische Abmessungen


High-duty Cartridge Heater, Ground,
Metric Dimensions

L2 = 500 mm
mit Thermofühler / with thermocouple

S5101/ . . .

nach DIN VDE 0721
Sonderanfertigungen siehe Seiten S5.14 bis S5.26

acc. to DIN VDE 0721
For custom made sizes ref. to pages S5.14 up to S5.26



d	L	P [Watt]	L2	Best. Nr. / Order No.
6,5	40	100	500	S5101/ 6,5x 40x 100x500
		125		S5101/ 6,5x 40x 125x500
		160		S5101/ 6,5x 40x 160x500
		175		S5101/ 6,5x 40x 175x500
		200		S5101/ 6,5x 40x 200x500
6,5	50	100	500	S5101/ 6,5x 50x 100x500
		125		S5101/ 6,5x 50x 125x500
		160		S5101/ 6,5x 50x 160x500
		200		S5101/ 6,5x 50x 200x500
		250		S5101/ 6,5x 50x 250x500
6,5	60	125	500	S5101/ 6,5x 60x 125x500
		160		S5101/ 6,5x 60x 160x500
		200		S5101/ 6,5x 60x 200x500
		250		S5101/ 6,5x 60x 250x500
		315		S5101/ 6,5x 60x 315x500
6,5	80	125	500	S5101/ 6,5x 80x 125x500
		160		S5101/ 6,5x 80x 160x500
		180		S5101/ 6,5x 80x 180x500
		200		S5101/ 6,5x 80x 200x500
		250		S5101/ 6,5x 80x 250x500
		280		S5101/ 6,5x 80x 280x500
		315		S5101/ 6,5x 80x 315x500
		350		S5101/ 6,5x 80x 350x500
		400		S5101/ 6,5x 80x 400x500
6,5	100	100	500	S5101/ 6,5x100x 100x500
		160		S5101/ 6,5x100x 160x500
		200		S5101/ 6,5x100x 200x500
		250		S5101/ 6,5x100x 250x500
		315		S5101/ 6,5x100x 315x500
		350		S5101/ 6,5x100x 350x500
		400		S5101/ 6,5x100x 400x500
8	40	100	500	S5101/ 8x 40x 100x500
		160		S5101/ 8x 40x 160x500
		200		S5101/ 8x 40x 200x500
		250		S5101/ 8x 40x 250x500
8	50	125	500	S5101/ 8x 50x 125x500
		160		S5101/ 8x 50x 160x500
		200		S5101/ 8x 50x 200x500
		250		S5101/ 8x 50x 250x500
		315		S5101/ 8x 50x 315x500
8	60	100	500	S5101/ 8x 60x 100x500
		125		S5101/ 8x 60x 125x500
		140		S5101/ 8x 60x 140x500
		160		S5101/ 8x 60x 160x500
		200		S5101/ 8x 60x 200x500
		250		S5101/ 8x 60x 250x500
		280		S5101/ 8x 60x 280x500
		315		S5101/ 8x 60x 315x500
8	80	160	500	S5101/ 8x 80x 160x500
		200		S5101/ 8x 80x 200x500
		250		S5101/ 8x 80x 250x500
		315		S5101/ 8x 80x 315x500
		400		S5101/ 8x 80x 400x500
		500		S5101/ 8x 80x 500x500

d	L	P [Watt]	L2	Best. Nr. / Order No.
8	100	200	500	S5101/ 8x100x 200x500
		250		S5101/ 8x100x 250x500
		280		S5101/ 8x100x 280x500
		315		S5101/ 8x100x 315x500
		400		S5101/ 8x100x 400x500
8	130	250	500	S5101/ 8x130x 250x500
		315		S5101/ 8x130x 315x500
		400		S5101/ 8x130x 400x500
10	40	100	500	S5101/ 10x 40x 100x500
		125		S5101/ 10x 40x 125x500
		200		S5101/ 10x 40x 200x500
		250		S5101/ 10x 40x 250x500
10	50	100	500	S5101/ 10x 50x 100x500
		160		S5101/ 10x 50x 160x500
		200		S5101/ 10x 50x 200x500
		250		S5101/ 10x 50x 250x500
		315		S5101/ 10x 50x 315x500
10	60	125	500	S5101/ 10x 60x 125x500
		160		S5101/ 10x 60x 160x500
		200		S5101/ 10x 60x 200x500
		250		S5101/ 10x 60x 250x500
		315		S5101/ 10x 60x 315x500
		400		S5101/ 10x 60x 400x500
		500		S5101/ 10x 60x 500x500
10	80	160	500	S5101/ 10x 80x 160x500
		200		S5101/ 10x 80x 200x500
		250		S5101/ 10x 80x 250x500
		315		S5101/ 10x 80x 315x500
		400		S5101/ 10x 80x 400x500
		500		S5101/ 10x 80x 500x500
10	100	160	500	S5101/ 10x100x 160x500
		200		S5101/ 10x100x 200x500
		250		S5101/ 10x100x 250x500
		315		S5101/ 10x100x 315x500
		400		S5101/ 10x100x 400x500
		500		S5101/ 10x100x 500x500
		560		S5101/ 10x100x 560x500
		630		S5101/ 10x100x 630x500
10	130	315	500	S5101/ 10x130x 315x500
		400		S5101/ 10x130x 400x500
		500		S5101/ 10x130x 500x500
		630		S5101/ 10x130x 630x500
		800		S5101/ 10x130x 800x500
		800		S5101/ 10x130x 800x500
10	160	400	500	S5101/ 10x160x 400x500
		630		S5101/ 10x160x 630x500
		630		S5101/ 10x160x 630x500
12,5	40	100	500	S5101/ 12,5x 40x 100x500
		160		S5101/ 12,5x 40x 160x500
		200		S5101/ 12,5x 40x 200x500
		250		S5101/ 12,5x 40x 250x500

**Hochleistungs-Heizpatrone, geschliffen,
metrische Abmessungen**

d	L	P [Watt]	L2	Best. Nr. / Order No.
12,5	40	315	500	S5101/ 12,5x 40x 315x500
		400		S5101/ 12,5x 40x 400x500
12,5	50	100	500	S5101/ 12,5x 50x 100x500
		125		S5101/ 12,5x 50x 125x500
		160		S5101/ 12,5x 50x 160x500
		200		S5101/ 12,5x 50x 200x500
		250		S5101/ 12,5x 50x 250x500
		315		S5101/ 12,5x 50x 315x500
		400		S5101/ 12,5x 50x 400x500
		500		S5101/ 12,5x 50x 500x500
12,5	60	125	500	S5101/ 12,5x 60x 125x500
		160		S5101/ 12,5x 60x 160x500
		200		S5101/ 12,5x 60x 200x500
		250		S5101/ 12,5x 60x 250x500
		315		S5101/ 12,5x 60x 315x500
		400		S5101/ 12,5x 60x 400x500
		500		S5101/ 12,5x 60x 500x500
		12,5		80
250	S5101/ 12,5x 80x 250x500			
315	S5101/ 12,5x 80x 315x500			
400	S5101/ 12,5x 80x 400x500			
500	S5101/ 12,5x 80x 500x500			
630	S5101/ 12,5x 80x 630x500			
800	S5101/ 12,5x 80x 800x500			
12,5	100		250	
		315	S5101/ 12,5x100x 315x500	
		400	S5101/ 12,5x100x 400x500	
		500	S5101/ 12,5x100x 500x500	
		630	S5101/ 12,5x100x 630x500	
		800	S5101/ 12,5x100x 800x500	
		1000	S5101/ 12,5x100x1000x500	
		12,5	130	400
500	S5101/ 12,5x130x 500x500			
630	S5101/ 12,5x130x 630x500			
800	S5101/ 12,5x130x 800x500			
1000	S5101/ 12,5x130x1000x500			
12,5	160	500	500	S5101/ 12,5x160x 500x500
		630		S5101/ 12,5x160x 630x500
		800		S5101/ 12,5x160x 800x500
		1000		S5101/ 12,5x160x1000x500
		1250		S5101/ 12,5x160x1250x500
12,5	180	800	500	S5101/ 12,5x180x 800x500
		1000		S5101/ 12,5x180x1000x500
12,5	200	630	500	S5101/ 12,5x200x 630x500
		800		S5101/ 12,5x200x 800x500
16	40	100	500	S5101/ 16x 40x 100x500
		160		S5101/ 16x 40x 160x500
		200		S5101/ 16x 40x 200x500
		250		S5101/ 16x 40x 250x500
		315		S5101/ 16x 40x 315x500
		400		S5101/ 16x 40x 400x500
		500		S5101/ 16x 40x 500x500
		160		S5101/ 16x 50x 160x500
16	50	200	500	S5101/ 16x 50x 200x500
		250		S5101/ 16x 50x 250x500
		315		S5101/ 16x 50x 315x500
		400		S5101/ 16x 50x 400x500
		500		S5101/ 16x 50x 500x500
		630		S5101/ 16x 50x 630x500
16	60	160	500	S5101/ 16x 60x 160x500
		200		S5101/ 16x 60x 200x500
		250		S5101/ 16x 60x 250x500
		315		S5101/ 16x 60x 315x500
		400		S5101/ 16x 60x 400x500
		500		S5101/ 16x 60x 500x500
16	80	250	500	S5101/ 16x 80x 250x500
		315		S5101/ 16x 80x 315x500
		400		S5101/ 16x 80x 400x500
		500		S5101/ 16x 80x 500x500

**High-duty Cartridge Heater, Ground,
Metric Dimensions**

d	L	P [Watt]	L2	Best. Nr. / Order No.
16	80	630	500	S5101/ 16x 80x 630x500
		800		S5101/ 16x 80x 800x500
		1000		S5101/ 16x 80x1000x500
16	100	315	500	S5101/ 16x100x 315x500
		400		S5101/ 16x100x 400x500
		500		S5101/ 16x100x 500x500
		630		S5101/ 16x100x 630x500
		800		S5101/ 16x100x 800x500
		1000		S5101/ 16x100x1000x500
		1250		S5101/ 16x100x1250x500
		16		130
630	S5101/ 16x130x 630x500			
800	S5101/ 16x130x 800x500			
1000	S5101/ 16x130x1000x500			
1400	S5101/ 16x130x1400x500			
16	160	630	500	S5101/ 16x160x 630x500
		800		S5101/ 16x160x 800x500
		1000		S5101/ 16x160x1000x500
		1250		S5101/ 16x160x1250x500
		1600		S5101/ 16x160x1600x500
16	180	1000	500	S5101/ 16x180x1000x500
		1250		S5101/ 16x180x1250x500
		1800		S5101/ 16x180x1800x500
		2000		S5101/ 16x180x2000x500
16	200	800	500	S5101/ 16x200x 800x500
		1000		S5101/ 16x200x1000x500
		1250		S5101/ 16x200x1250x500
		1600		S5101/ 16x200x1600x500
		2000		S5101/ 16x200x2000x500
16	250	1000	500	S5101/ 16x250x1000x500
		1250		S5101/ 16x250x1250x500
		1600		S5101/ 16x250x1600x500
		2000		S5101/ 16x250x2000x500
16	300	1250	500	S5101/ 16x300x1250x500
		1800		S5101/ 16x300x1800x500
20	80	400	500	S5101/ 20x 80x 400x500
		500		S5101/ 20x 80x 500x500
		630		S5101/ 20x 80x 630x500
		800		S5101/ 20x 80x 800x500
		1000		S5101/ 20x 80x1000x500
20	100	400	500	S5101/ 20x100x 400x500
		630		S5101/ 20x100x 630x500
		800		S5101/ 20x100x 800x500
		1000		S5101/ 20x100x1000x500
		1250		S5101/ 20x100x1250x500
20	130	630	500	S5101/ 20x130x 630x500
		800		S5101/ 20x130x 800x500
		1000		S5101/ 20x130x1000x500
		1250		S5101/ 20x130x1250x500
		1600		S5101/ 20x130x1600x500
20	160	1000	500	S5101/ 20x160x1000x500
		1250		S5101/ 20x160x1250x500
		1600		S5101/ 20x160x1600x500
		2000		S5101/ 20x160x2000x500
		2500		S5101/ 20x160x2500x500
20	200	1250	500	S5101/ 20x200x1250x500
		1600		S5101/ 20x200x1600x500
		2000		S5101/ 20x200x2000x500
		2500		S5101/ 20x200x2500x500
20	250	1600	500	S5101/ 20x250x1600x500
		2000		S5101/ 20x250x2000x500
		2500		S5101/ 20x250x2500x500
		3150		S5101/ 20x250x3150x500
		4000		S5101/ 20x250x4000x500

Hochleistungs-Heizpatrone, geschliffen,
metrische Abmessungen


High-duty Cartridge Heater, Ground,
Metric Dimensions

S5101/ . . .

nach DIN VDE 0721
Sonderanfertigungen siehe Seiten S5.14 bis S5.26

acc. to DIN VDE 0721
For custom made sizes ref. to pages S5.14 up to S5.26

L2 = 1000 mm
ohne Thermofühler / without thermocouple



d	L	P [Watt]	L2	Best. Nr. / Order No.
6,5	40	100	1000	S5101/ 6,5x 40x 100x1000
		125		S5101/ 6,5x 40x 125x1000
		160		S5101/ 6,5x 40x 160x1000
		175		S5101/ 6,5x 40x 175x1000
		200		S5101/ 6,5x 40x 200x1000
6,5	50	100	1000	S5101/ 6,5x 50x 100x1000
		160		S5101/ 6,5x 50x 160x1000
		200		S5101/ 6,5x 50x 200x1000
		250		S5101/ 6,5x 50x 250x1000
6,5	60	125	1000	S5101/ 6,5x 60x 125x1000
		200		S5101/ 6,5x 60x 200x1000
		250		S5101/ 6,5x 60x 250x1000
6,5	80	125	1000	S5101/ 6,5x 80x 125x1000
		200		S5101/ 6,5x 80x 200x1000
		250		S5101/ 6,5x 80x 250x1000
		315		S5101/ 6,5x 80x 315x1000
6,5	100	160	1000	S5101/ 6,5x 100x 160x1000
		250		S5101/ 6,5x 100x 250x1000
		350		S5101/ 6,5x 100x 350x1000
6,5	130	220	1000	S5101/ 6,5x 130x 220x1000
		350		S5101/ 6,5x 130x 350x1000
8	40	100	1000	S5101/ 8x 40x 100x1000
		160		S5101/ 8x 40x 160x1000
		200		S5101/ 8x 40x 200x1000
		250		S5101/ 8x 40x 250x1000
8	50	125	1000	S5101/ 8x 50x 125x1000
		200		S5101/ 8x 50x 200x1000
		250		S5101/ 8x 50x 250x1000
		315		S5101/ 8x 50x 315x1000
8	60	125	1000	S5101/ 8x 60x 125x1000
		200		S5101/ 8x 60x 200x1000
		250		S5101/ 8x 60x 250x1000
8	80	200	1000	S5101/ 8x 80x 200x1000
		315		S5101/ 8x 80x 315x1000
8	100	200	1000	S5101/ 8x 100x 200x1000
		250		S5101/ 8x 100x 250x1000
		315		S5101/ 8x 100x 315x1000
		400		S5101/ 8x 100x 400x1000
8	130	250	1000	S5101/ 8x 130x 250x1000
		315		S5101/ 8x 130x 315x1000
		400		S5101/ 8x 130x 400x1000
8	160	200	1000	S5101/ 8x 160x 200x1000
		250		S5101/ 8x 160x 250x1000
10	40	100	1000	S5101/ 10x 40x 100x1000
		125		S5101/ 10x 40x 125x1000
		200		S5101/ 10x 40x 200x1000
		315		S5101/ 10x 40x 315x1000
10	50	100	1000	S5101/ 10x 50x 100x1000
		160		S5101/ 10x 50x 160x1000
		200		S5101/ 10x 50x 200x1000
		250		S5101/ 10x 50x 250x1000

d	L	P [Watt]	L2	Best. Nr. / Order No.	
10	60	180	1000	S5101/ 10x 60x 200x1000	
		250		S5101/ 10x 60x 250x1000	
		315		S5101/ 10x 60x 315x1000	
		400		S5101/ 10x 60x 400x1000	
		500		S5101/ 10x 60x 500x1000	
10	80	160	1000	S5101/ 10x 80x 160x1000	
		250		S5101/ 10x 80x 250x1000	
		315		S5101/ 10x 80x 315x1000	
		400		S5101/ 10x 80x 400x1000	
		500		S5101/ 10x 80x 500x1000	
10	100	220	1000	S5101/ 10x 100x 220x1000	
		250		S5101/ 10x 100x 250x1000	
		315		S5101/ 10x 100x 315x1000	
		400		S5101/ 10x 100x 400x1000	
		500		S5101/ 10x 100x 500x1000	
10	130	315	1000	S5101/ 10x 130x 315x1000	
		400		S5101/ 10x 130x 400x1000	
		500		S5101/ 10x 130x 500x1000	
		630		S5101/ 10x 130x 630x1000	
		800		S5101/ 10x 130x 800x1000	
10	160	400	1000	S5101/ 10x 160x 400x1000	
		630		S5101/ 10x 160x 630x1000	
10	200	400	1000	S5101/ 10x 200x 400x1000	
		630		S5101/ 10x 200x 630x1000	
12,5	40	250	1000	S5101/ 12,5x 40x 250x1000	
		400		S5101/ 12,5x 40x 400x1000	
12,5	60	200	1000	S5101/ 12,5x 60x 200x1000	
		315		S5101/ 12,5x 60x 315x1000	
12,5	80	250	1000	S5101/ 12,5x 80x 250x1000	
		315		S5101/ 12,5x 80x 315x1000	
12,5	100	400	1000	S5101/ 12,5x 100x 400x1000	
		500		S5101/ 12,5x 100x 500x1000	
		630		S5101/ 12,5x 100x 630x1000	
		800		S5101/ 12,5x 100x 800x1000	
12,5	130	400	1000	S5101/ 12,5x 130x 400x1000	
		500		S5101/ 12,5x 130x 500x1000	
		630		S5101/ 12,5x 130x 630x1000	
		800		S5101/ 12,5x 130x 800x1000	
12,5	160	500	1000	S5101/ 12,5x 160x 500x1000	
		630		S5101/ 12,5x 160x 630x1000	
		800		S5101/ 12,5x 160x 800x1000	
		1000		S5101/ 12,5x 160x 1000x1000	
12,5	180	670	1000	S5101/ 12,5x 180x 670x1000	
		1000		S5101/ 12,5x 180x 1000x1000	
		630		1000	S5101/ 12,5x 200x 630x1000
		800			S5101/ 12,5x 200x 800x1000
12,5	250	800	1000	S5101/ 12,5x 250x 800x1000	
		900		S5101/ 12,5x 250x 900x1000	

Hochleistungs-Heizpatrone, geschliffen,
metrische Abmessungen

High-duty Cartridge Heater, Ground,
Metric Dimensions


L2 = 1000 mm

ohne Thermofühler / without thermocouple

S5101/ . . .

nach DIN VDE 0721
Sonderanfertigungen siehe Seiten S5.14 bis S5.26

acc. to DIN VDE 0721
For custom made sizes ref. to pages S5.14 up to S5.26



d	L	P [Watt]	L2	Best. Nr. / Order No.
16	40	250	1000	S5101/ 16x 40x 250x1000
16	60	200	1000	S5101/ 16x 60x 200x1000
		315		S5101/ 16x 60x 315x1000
		400		S5101/ 16x 60x 400x1000
16	80	400	1000	S5101/ 16x 80x 400x1000
		500		S5101/ 16x 80x 500x1000
		630		S5101/ 16x 80x 630x1000
		800		S5101/ 16x 80x 800x1000
16	100	400	1000	S5101/ 16x100x 400x1000
		500		S5101/ 16x100x 500x1000
		630		S5101/ 16x100x 630x1000
		800		S5101/ 16x100x 800x1000
		1000		S5101/ 16x100x1000x1000
16	130	500	1000	S5101/ 16x130x 500x1000
		630		S5101/ 16x130x 630x1000
		800		S5101/ 16x130x 800x1000
		1000		S5101/ 16x130x1000x1000
16	160	630	1000	S5101/ 16x160x 630x1000
		800		S5101/ 16x160x 800x1000
		1000		S5101/ 16x160x1000x1000
		1250		S5101/ 16x160x1250x1000
16	180	1250	1000	S5101/ 16x 180x 1250x1000
16	200	500	1000	S5101/ 16x 200x 500x1000
		800		S5101/ 16x 200x 800x1000
		1000		S5101/ 16x 200x 1000x1000
		1250		S5101/ 16x 200x 1250x1000
		2000		S5101/ 16x 200x 2000x1000
16	250	1000	1000	S5101/ 16x 250x 1000x1000
		1250		S5101/ 16x 250x 1250x1000
		1600		S5101/ 16x 250x 1600x1000
16	300	1000	1000	S5101/ 16x 300x 1000x1000
		1250		S5101/ 16x 300x 1250x1000
		1500		S5101/ 16x 300x 1500x1000
		1800		S5101/ 16x 300x 1800x1000
20	60	315	1000	S5101/ 20x 60x 315x1000
20	80	800	1000	S5101/ 20x 80x 800x1000
20	100	1000	1000	S5101/ 20x 100x 1000x1000
20	160	800	1000	S5101/ 20x 160x 800x1000
		1000		S5101/ 20x 160x 1000x1000
		1800		S5101/ 20x 160x 1800x1000
20	200	1000	1000	S5101/ 20x 200x 1000x1000
		1600		S5101/ 20x 200x 1600x1000
20	250	1250	1000	S5101/ 20x 250x 1250x1000
		2000		S5101/ 20x 250x 2000x1000
20	300	1600	1000	S5101/ 20x 300x 1600x1000
		2200		S5101/ 20x 300x 2200x1000